

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claim 1. (original) A surface protective sheet having a pressure-sensitive adhesive layer on at least one side of a substrate; wherein, the pressure-sensitive adhesive comprises 100 parts by weight of a styrene-isobutylene block copolymer, and 0 to 300 parts by weight of a softening agent and 0 to less than 20 parts by weight of a tackifying resin, both based on 100 parts by weight of the styrene-isobutylene block copolymer.

Claim 2. (original) A surface protective sheet having a pressure-sensitive adhesive on at least one side of a substrate; wherein, the pressure-sensitive adhesive comprises 100 parts by weight of a thermoplastic elastomer composed of a styrene-isobutylene block copolymer and a styrene block copolymer or a styrene random copolymer other than the styrene-isobutylene block copolymer, and 0 to 300 parts by weight of a softening agent and 0 to less than 20 parts by weight of a tackifying resin, based on 100 parts by weight the thermoplastic elastomer.

Claim 3. (original) A surface protective sheet according to claim 2 wherein the styrene-isobutylene block copolymer and

the styrene copolymer other than the styrene-isobutylene block copolymer are comprised at a weight ratio of 100:0 to 50:50.

Claim 4. (previously presented) A surface protective sheet according to any one of claims 1 to 3 wherein the melt flow rate of the pressure-sensitive adhesive is 0.5 to 300 g/10 min at 190°C and 2.16 kg.

Claim 5. (previously presented) A surface protective sheet according to any one of claims 1 to 3 wherein the tackifying resin is composed of a hydrogenated rosin ester resin.

Claim 6. (previously presented) A surface protective sheet according to any one of claims 1 to 3 wherein the softening agent is at least one selected from the group consisting of oil, paraffin wax, low molecular weight polybutene, low molecular weight polyisoprene, low molecular weight polyisobutylene and low molecular weight poly- α -olefin.

Claim 7. (currently amended) A surface protective sheet according to any one of claims 1 to 3 wherein at least one selected from the group consisting of an antioxidant, ultraviolet absorber, ultraviolet stabilizer (~~HALS~~), antistatic agent and lubricant is comprised in the pressure-sensitive adhesive.

Appl. No. 10/581,831

Reply to Office Action mailed January 7, 2009

Claim 8. (previously presented) A surface protective sheet according to any one of claims 1 to 3 wherein the ultraviolet transmission rate of the substrate is 1% or less.